F		<u> </u>	1	T		
Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	102	(queue or buffer) near10 (full or overload\$3) same (updat\$4 or distribut\$4) near5 (software or program or update)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:28
L2	64	l1 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:28
L3	9006	((709/217) or (709/220) or (709/221) or (709/222) or (709/223)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	OFF	2005/05/27 14:16
L4	839	(717/171,173,174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 14:16
L5	9722	L3 L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/05/27 14:16
L6	2	12 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:28
L7	4271	queue near10 (full or overload\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:28
L8	109	17 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:28

L9	71	I8 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/05/27 14:29
S1	1	("5845090").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/24 15:05
S2	3	(("6049671") or ("6049892") or ("6070184")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/24 15:06
S3	24082	(push\$3 or upload\$3) same (pull\$3 or download\$3) same (updat\$3 or install\$5 or distribut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/25 11:09
S4	340	(push\$3 or upload\$3) same (pull\$3 or download\$3) same (updat\$3 or install\$5 or distribut\$4) same (queu\$3 or buffer\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 10:07
S5	8636	(709/217,220,221,222,223).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:08
S6	8636	((709/217) or (709/220) or (709/221) or (709/222) or (709/223)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:09
S7	236	S3 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:11
S8	110	S7 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:16

S9	1134	(push\$3 or upload\$3) same (pull\$3 or download\$3) same (updat\$3 or install\$5 or distribut\$4) same (unsuccessful\$2 or success or successful\$2 or fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:05
S10	14	S9 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/03/25 12:07
S11	6	S10 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:15
S12	418	(push\$3 or upload\$3) same (pull\$3 or download\$3) same (updat\$3 or install\$5 or distribut\$4) same (unsuccessful\$2 or success or successful\$2 or fail\$4) same (package or software or application or program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:14
S13	406	S12 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:14
S14	53	S13 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:33
S15	112	S4 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/25 12:08
S16	108	S15 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 11:34
S17	0	"20301102248"	US-PGPUB	OR	ON	2005/03/25 11:57
S18	1	"20030110248"	US-PGPUB	OR	ON	2005/03/25 11:57

519	115536	(updat\$3 or install\$5 or distribut\$4) same (unsuccessful\$2 or fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:06
S20	17710	(updat\$3 or install\$5 or distribut\$4) near5 (unsuccessful\$2 or fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:07
S21	422	S20 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON .	2005/03/25 12:08
S22	545	(updat\$3 or install\$5 or distribut\$4) near5 (unsuccessful\$2 or fail\$4) with (means or alternate or different or another or other)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:08
S23	14	S22 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:08
S24	11	S23 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:13
S25	321	S22 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:13
S26	310	S25 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 12:13

S27	8636	((709/217) or (709/220) or (709/221) or (709/222) or (709/223)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:45
S28	<b>545</b>	(updat\$3 or install\$5 or distribut\$4) near5 (unsuccessful\$2 or fail\$4) with (means or alternate or different or another or other)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:56
S29	14	S28 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:23
S30		S29 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 13:45
S31	321	S28 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:10
S32	310	S31 not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 13:45
S33	555	(updat\$3 or install\$5 or distribut\$4) near5 (unsuccessful\$2 or fail\$4) with (attempt\$3 or reschedul\$3 or retry\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:09
S34	141	(updat\$3 or install\$5 or distribut\$4) near5 (unsuccessful\$2 or fail\$4) with (attempt\$3 or reschedul\$3 or retry\$3) same (threshold or max\$4 or number or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:22

S35	80	S34 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:46
S36	1009	(updat\$3 or install\$5 or distribut\$4) near10 (attempt\$3 or reschedul\$3 or retry\$3) near10 (threshold or max\$4 or number or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:22
S37	34	S36 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:23
S38	12	S37 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:23
S39	1	"4076961".PN.	USPAT; USOCR	OR	ON	2005/03/25 15:32
S40	1	"4672459".PN.	USPAT; USOCR	OR	ON	2005/03/25 15:32
S41	1	"4741037".PN.	USPAT; USOCR	OR	ON	2005/03/25 15:35
S42	1	"4850008".PN.	USPAT; USOCR	OR	ON	2005/03/25 15:36
S43	1	"5274697".PN.	USPAT; USOCR	OR	ON	2005/03/25 15:36
S44	190	717/172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:46
S45	85311	push with pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:46

S46	7	S44 and S45	US-PGPUB;	<b>OR</b>	ON	2005/03/25 15:49
		·	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S47	3	S46 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:50
S48	802	(717/171,173,174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 15:49
S49	11	S48 and S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:55
S50	7	S49 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:28
S51	927	S48 or S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:55
S52	17710	(updat\$3 or install\$5 or distribut\$4) near5 (unsuccessful\$2 or fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:56
S53	161	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:59

S54	78	S53 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:59
S55	12	S51 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:59
S56	9	S55 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/25 15:59
S57	803	(717/171,173,174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 08:53
S58	85398	push with pull	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 08:54
S59	352	push with pull with option\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:10
S60	0	S57 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:19
S61	117	push with pull with (decision or decid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:11

S62		S57 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:19
S63	574	push\$3 with pull\$3 with option\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:11
S64	. 0	S57 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/29 09:19
S65	169	push\$3 with pull\$3 with (decision or decid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:16
S66	0	S57 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:18
S67	2216	push\$3 with pull\$3 with (altenative\$3 or instead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:38
S68	0	S57 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:18
S69	174	717/172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/29 09:18

S70	915	S57 or S69	US-PGPUB;	OR	ON	2005/02/20 00:40
370	913	337 UI 30 <del>3</del>	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:18
S71	0	S70 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:18
S72	0	S70 and S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:18
S73	0	S70 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:19
S74	0	S70 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:19
S75	0	S70 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 09:19
S76	803	(717/171,173,174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 11:37
S77	174	717/172	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:37

S78	915	S76 or S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:37
S79	9533	push\$3 with pull\$3 with (switch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:38
S80	0	S78 and S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/29 11:38
S81	2	"20020100036"	US-PGPUB	OR	ON	2005/05/03 14:00
S82	1748	(software or program) same (distribut\$4 or install\$5 or updat\$4) same (attempt or retry) same (number or amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:25
S83	8827	((709/217) or (709/220) or (709/221) or (709/222) or (709/223)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 16:27
S84	813	(717/171,173,174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/03 16:28
S85	9518	S83 S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:28
S86	88	S82 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:28

CCT	1	000 10 1 110000000	T.,,		I _	Ţ
S87	45	S86 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:02
S88	517	(alternate different second another two) near5 (mode method type way means) near5 (distribut\$4 install\$5) near5 (software program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:06
S89	236	S88 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:08
S90	1018	(two or alternat\$4 or different or another) near5 (way or mean or method) near5 (updat\$4 or load\$4 or install\$4 or distribut\$4) near5 (software or program or update)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:40
S91	9006	((709/217) or (709/220) or (709/221) or (709/222) or (709/223)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:13
S92	839	(717/171,173,174).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 09:13
S93	9722	S91 S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:13
S94	76	S90 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:13

S95	41	S94 and @ad<"20001220"	US-PGPUB;	OR	ON	2005/05/27 09:41
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S96	797	(two or alternat\$4 or different or another) near5 (way or mean or method) near5 (updat\$4 or distribut\$4) near5 (software or program or update)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 14:14
S97	749	S96 not S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:41
S98	341	S97 and @ad<"20001220"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 09:41